TONKO.HOUSE.GOV @RepPaulTonko

2369 RAYBURN HOUSE OFFICE BUILDING WASHINGTON, DC 20515 (202) 225-5076

> 19 DOVE STREET, SUITE 302 ALBANY, NY 12210 (518) 465–0700

61 CHURCH STREET, ROOM 309 AMSTERDAM, NY 12010 (518) 843-3400

105 JAY STREET, ROOM 15 SCHENECTADY, NY 12305 (518) 374-4547



U.S. HOUSE OF REPRESENTATIVES 20TH DISTRICT, NEW YORK

COMMITTEE ON ENERGY AND COMMERCE

CHAIR, SUBCOMMITTEE ON ENVIRONMENT
AND CLIMATE CHANGE

SUBCOMMITTEE ON ENERGY

SUBCOMMITTEE ON OVERSIGHT AND INVESTIGATIONS

COMMITTEE ON NATURAL RESOURCES

SUBCOMMITTEE ON NATIONAL PARKS, FORESTS,
AND PUBLIC LANDS

COMMITTEE ON SCIENCE, SPACE, AND TECHNOLOGY

SUBCOMMITTEE ON ENVIRONMENT

SUBCOMMITTEE ON RESEARCH AND TECHNOLOGY

March 18, 2020

DHS-FEMA-GPD Bridget Bean Deputy Assistant Administrator for Grant Programs 400 C Street S.W., 3N Washington, D.C. 20472-3635

Dear Ms. Bean:

I write in support of a proposal from the Guilderland Fire District (GFD) in Albany County NY, under the FY 2019 Assistance to Firefighters Grants program (AFG).

GFD is seeking federal funding to replace outdated SCBA units and face pieces. Current equipment is more than ten years old and more than two NFPA cycles behind the current standard. It is anticipated this new equipment will provide essential air support with less weight, which will prevent the firefighters from becoming fatigued as quickly, thus enhancing safety and response capacity, as well as more effectively meet public needs.

I share your strong commitment to providing the tools and resources necessary to more effectively protect the health and safety of the public and their emergency response personnel. Your full and fair consideration of this request, consistent with current laws, rules, regulations and agency policy, is appreciated.

Sincerely.

PAUL D. TONKO

Member of Congress

PDT/mjs